



Section 1 - Identification of The Material and Supplier

Adama Australia Pty Ltd, Suite 1, Level 4,
Building B
207 Pacific Highway St Leonards, NSW 2065
ACN 050 328 973

Telephone (02)9431 7800 (office hours)
Emergency 1800 024 973 (24 hours)
Fax (02)9431 7700

Chemical nature: Chlorothalonil is a chlorinated aromatic nitrile derivative.
Trade Name: **Cavalry Weatherguard Fungicide**
Product Use: Agricultural fungicide for use as described on the product label.
Creation Date: **November, 2005**
This version issued: **March 2019** and is valid for 5 years from this date.
Poisons Information Centre: Phone 13 1126 from anywhere in Australia

Section 2 - Hazards Identification

Statement of Hazardous Nature


This product is classified as: Hazardous according to the criteria of SWA Australia.

Dangerous according to the Australian Dangerous Goods (ADG) Code.

SUSMP Classification: S6

ADG Classification: Class 6.1: Toxic substances.

UN Number: 2996, ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC.



GHS Signal word: DANGER.

HAZARD STATEMENT:

- H320: Causes eye irritation.
- H351: Suspected of causing cancer.
- H410: Very toxic to aquatic life with long lasting effects.

PREVENTION

- P261: Avoid breathing fumes, mists, vapours or spray.
- P264: Wash contacted areas thoroughly after handling.
- P271: Use only outdoors or in a well ventilated area.
- P280: Wear protective gloves, protective clothing and eye or face protection.
- P281: Use personal protective equipment as required.

RESPONSE

- P311: Call a POISON CENTRE or doctor.
- P337: If eye irritation persists: seek medical attention.
- P353: Rinse skin or shower with water.
- P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P313: If exposed or concerned: Get medical advice.
- P337+P313: If eye irritation persists: Get medical advice.
- P391: Collect spillage.
- P370+P378: In case of fire, note the following. Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal foam can be used. Try to contain spills, minimise spillage entering drains or water courses.

STORAGE

- P405: Store locked up.
- P402+P404: Store in a dry place. Store in a closed container.

SAFETY DATA SHEET



P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P403+P235: Store in a well-ventilated place. Keep cool.

DISPOSAL

P501: Dispose of contents and containers to landfill.

Emergency Overview

Physical Description & colour: Pale yellow liquid.

Odour: Mild, characteristic odour.

Major Health Hazards: Chlorothalonil is not harmful to mammals by oral or dermal exposure, but it can cause severe eye and skin irritation in certain formulations. Very high doses may cause a loss of muscle coordination, rapid breathing, nose bleeding, vomiting, hyperactivity, and death. Dermatitis, vaginal bleeding, bright yellow and/or bloody urine, and kidney tumours may also occur. Toxic if inhaled, may cause irreversible effects, eye irritant.

Section 3 - Composition/Information on Ingredients

Ingredients	CAS No	Conc, %	TWA (mg/m ³)	STEL (mg/m ³)
chlorothalonil	1897-45-6	720g/L	not set	not set
Other non hazardous ingredients	secret	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that should not be exceeded for more than 15 minutes and should not be repeated for more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 - First Aid Measures**General Information:**

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

Inhalation: If inhalation occurs, contact a Poisons Information Centre. Urgent hospital treatment is likely to be needed. Remove source of contamination or move victim to fresh air. If breathing is difficult, oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow victim to move about unnecessarily. Symptoms of pulmonary oedema can be delayed up to 48 hours after exposure.

Skin Contact: Wash gently and thoroughly with water (use non-abrasive soap if necessary) for 5 minutes or until chemical is removed.

Eye Contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 minutes or until the product is removed, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately. Take special care if exposed person is wearing contact lenses.

Ingestion: If product is swallowed or gets in mouth, wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: This product does not burn. There is a slight risk of an explosion from this product if commercial quantities are involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids. Vapours from this product are heavier than air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures. They may also flash back considerable distances. Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: Try to contain spills, minimise spillage entering drains or water courses.

Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire brigade. There is little danger of a violent reaction or explosion if significant quantities of this product are involved in a fire. Recommended personal protective equipment is full fire kit and breathing apparatus.

Flash point: No data

Upper Flammability Limit: No data.

Lower Flammability Limit: No data.

SAFETY DATA SHEET



Autoignition temperature: No data.
Flammability Class: Not combustible.

Section 6 - Accidental Release Measures

Accidental release: In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective chemically resistant clothing including eye/face protection, gauntlets and self contained breathing apparatus. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include rubber, PVC. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned below (section 8). Otherwise, not normally necessary.

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Because of the environmentally hazardous nature of this product, special care should be taken to restrict release to waterways or drains. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

Section 7 - Handling and Storage

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Check packaging - there may be further storage instructions on the label.

Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: **AS/NZS 4501 set 2008**, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

SWA Exposure Limits **TWA (mg/m³)** **STEL (mg/m³)**
Exposure limits have not been established by SWA for any of the significant ingredients in this product.

The ADI for chlorothalonil is set at 0.01mg/kg/day. The corresponding NOEL is set at 1.5mg/kg/day. ADI means Acceptable Daily Intake and NOEL means No-observable-effect-level. Values taken from Australian ADI List, June 2013.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: Use this product only in areas where there is good ventilation. If necessary, use a fan.

Eye Protection: Protective glasses or goggles should be worn when this product is being used. Failure to protect your eyes may cause them harm. Emergency eye wash facilities are also recommended in an area close to where this product is being used.

Skin Protection: You should avoid contact even with mild skin irritants. Therefore you should wear suitable impervious elbow-length gloves and facial protection when handling this product. See below for suitable material types.

Protective Material Types: We suggest that protective clothing be made from the following materials: rubber, PVC.

Respirator: Use of a respirator is recommended when using this product. If you have any doubts consult the Australian Standard mentioned above.

SAFETY DATA SHEET



Eyebaths or eyewash stations and safety deluge showers should be provided near to where this product is being used.

Section 9 - Physical and Chemical Properties:

Physical Description & colour:	Pale yellow liquid.
Odour:	Mild, characteristic odour.
Boiling Point:	Not available.
Freezing/Melting Point:	No specific data. Liquid at normal temperatures.
Volatiles:	No data.
Vapour Pressure:	No data.
Vapour Density:	No data.
Specific Gravity:	1.28-1.32
Water Solubility:	Emulsifiable.
pH:	No data.
Volatility:	No data.
Odour Threshold:	No data.
Evaporation Rate:	No data.
Coeff Oil/water distribution:	No data
Autoignition temp:	No data.

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

Incompatibilities: strong acids, strong bases, strong oxidising agents.

Fire Decomposition: Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas. Hydrogen chloride gas, other compounds of chlorine. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Polymerisation: This product will not undergo polymerisation reactions.

Section 11 - Toxicological Information

Toxicity: An information profile for Chlorothalonil is available at <http://extoxnet.orst.edu/pips/ghindex.html>

Acute toxicity: Chlorothalonil is not harmful to mammals by oral exposure, but it can cause severe eye and skin irritation in certain formulations. Very high doses may cause a loss of muscle coordination, rapid breathing, nose bleeding, vomiting, hyperactivity, and death. Dermatitis, vaginal bleeding, bright yellow and/or bloody urine, and kidney tumours may also occur. The oral LD₅₀ is greater than 10,000 mg/kg in rats and 6000 mg/kg in mice. The acute dermal LD₅₀ in both albino rabbits and albino rats is 10,000 mg/kg. An inhalation LC₅₀ (4hr), rat of 0.7mg/L has been quoted. In albino rabbits, 3 mg of chlorothalonil applied to the eyes caused mild irritation that subsided within 7 days of exposure.

Chronic toxicity: In a number of tests of varying lengths of time, rats fed a range of doses of chlorothalonil generally showed no effects on physical appearance, behaviour, or survival. Skin contact with chlorothalonil may result in dermatitis or light sensitivity. Human eye and skin irritation is linked to chlorothalonil exposure; 14 of 20 workers exposed to 0.5% chlorothalonil in a wood preservative developed dermatitis. All workers showed swelling and inflammation of the upper eyelids. Allergic skin responses have also been noted in farm workers.

Reproductive effects: Studies suggest that chlorothalonil will not affect human reproduction at expected exposure levels.

Teratogenic effects: Long-term studies indicate that high doses fed to rats caused reduced weight gains for males and females in each generation studied. A study of birth defects in rabbits showed no effects. Chlorothalonil is not expected to produce birth defects in humans.

Mutagenic effects: Mutagenicity studies on various animals, bacteria, and plants indicate that chlorothalonil does not cause any genetic changes. The compound is not expected to pose mutagenic risks to humans.

Carcinogenic effects: Based on evidence from animal studies, chlorothalonil's carcinogenic potential is unclear. Male and female rats fed chlorothalonil daily over a lifetime developed carcinogenic and benign kidney tumours at the higher doses. In another study, where mice were fed high daily doses of chlorothalonil for 2 years, females developed

SAFETY DATA SHEET



tumours in the fore-stomach area (attributed to irritation by the compound) and males developed carcinogenic and benign kidney tumours.

Organ toxicity: Chronic studies of rats and dogs fed high dietary levels show that chlorothalonil is toxic to the kidney. In addition to less urine output, changes in the kidney included enlargement, greenish-brown colour, and development of small grains.

Fate in humans and animals: Chlorothalonil is rapidly excreted, primarily unchanged, from the body. It is not stored in animal tissues. Residues have not been found in the tissues or milk of dairy cows fed chlorothalonil.

Potential Health Effects

See section 11 for Chronic exposure studies.

Inhalation

Short term exposure: Available data shows that this product is toxic, but symptoms are not available. In addition product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

Skin Contact:

Short term exposure: Available data indicates that this product is not harmful. It should present no hazards in normal use. However product may be irritating, but is unlikely to cause anything more than mild transient discomfort.

Eye Contact:

Short term exposure: This product is an eye irritant. Symptoms may include stinging and reddening of eyes and watering which may become copious. Other symptoms may also become evident. If exposure is brief, symptoms should disappear once exposure has ceased. However, lengthy exposure or delayed treatment may cause permanent damage.

Ingestion:

Short term exposure: Significant oral exposure is considered to be unlikely. However, this product may be irritating to mucous membranes but is unlikely to cause anything more than transient discomfort.

Carcinogen Status:

SWA: Chlorothalonil is classified by SWA as a Class 3 Carcinogen, possibly carcinogenic to humans. See the SWA website for further details. A web address has not been provided as addresses frequently change.

NTP: No significant ingredient is classified as carcinogenic by NTP.

IARC: Chlorothalonil is classed 2b IARC - possibly carcinogenic to humans.

See the IARC website for further details. A web address has not been provided as addresses frequently change.

Section 12 - Ecological Information

Very toxic to aquatic organisms, may cause long-term adverse effects to the aquatic environment. Insufficient data to be sure of status.

Effects on birds: Chlorothalonil is practically nontoxic to birds. Most avian wildlife are not significantly affected by this compound.

Effects on aquatic organisms: Chlorothalonil and its metabolites are highly toxic to fish, aquatic invertebrates, and marine organisms. Fish, such as rainbow trout, bluegill, and channel catfish are noticeably affected even when chlorothalonil levels are low (less than 1 mg/L). Its bioaccumulation factor is quite low.

Effects on other organisms: The compound is nontoxic to bees.

Environmental Fate:

Breakdown in soil and groundwater: Chlorothalonil is moderately persistent. In aerobic soils, the half-life is from 1 to 3 months.

Breakdown in water: In very basic water (pH 9.0), about 65% of the chlorothalonil was degraded into two major metabolites after 10 weeks.

Breakdown in vegetation: Chlorothalonil's residues may remain on above-ground crops at harvest, but will dissipate over time. Chlorothalonil is a fairly persistent fungicide on plants, depending on the rate of application.

Section 13 - Disposal Considerations

Disposal: Instructions concerning the disposal of this product and its containers are given on the registered label. These should be carefully followed. Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 <http://www.chemclear.com.au/> and for help with the disposal of empty drums, contact DrumMuster <http://www.drummuster.com.au/> where you will find contact details for your area.

SAFETY DATA SHEET



Section 14 - Transport Information

UN Number: 2996, ORGANOCHLORIDE PESTICIDE, LIQUID, TOXIC.

Hazchem Code: 2X

Special Provisions: 61, 223, 274

Limited quantities: ADG 7 specifies a Limited Quantity value of 5 L for this class of product.

Dangerous Goods Class: Class 6.1: Toxic Substances.

Packing Group: III

Packing Instruction: P001, IBC03, LP01

Class 6 Toxic Substances shall not be loaded in the same vehicle or packed in the same freight container with Classes 1 (Explosives), 3 (Flammable Liquids where the Flammable Liquid is nitromethane), 5.1 (Oxidising Agents where the Toxic Substances are Fire Risk Substances), 5.2 (Organic Peroxides where the Toxic Substances are Fire Risk Substances), 8 (Corrosive Substances where the Toxic Substances are cyanides and the Corrosives are acids), Foodstuffs and foodstuff empties. They may however be loaded in the same vehicle or packed in the same freight container with Classes, 2.1 (Flammable Gases), 2.2 (Non-Flammable, Non-Toxic Gases), 2.3 (Toxic Gases), 3 (Flammable liquids, except where the flammable liquid is nitromethane), 4.1 (Flammable Solids), 4.2 (Spontaneously Combustible Substances), 4.3 (Dangerous When Wet Substances), 5.1 (Oxidising Agents except where the Toxic Substances are Fire Risk Substances), 5.2 (Organic Peroxides except where the Toxic Substances are Fire Risk Substances), 7 (Radioactive Substances), 8 (Corrosive Substances except where the Toxic Substances are cyanides and the Corrosives are acids), 9 (Miscellaneous Dangerous Goods).

Section 15 - Regulatory Information

AICS: All of the significant ingredients in this formulation are compliant with NICNAS regulations.

The following ingredient: chlorothalonil, is mentioned in the SUSMP.

Section 16 - Other Information

This SDS contains only safety-related information. For other data see product literature.

Acronyms:

ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail, 7th Edition
AICS	Australian Inventory of Chemical Substances
CAS number	Chemical Abstracts Service Registry Number
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
IARC	International Agency for Research on Cancer
SWA	Safe Work Australia, formerly ASCC and NOHSC
NOS	Not otherwise specified
NTP	National Toxicology Program (USA)
SUSMP	Standard for the Uniform Scheduling of Medicines & Poisons
UN Number	United Nations Number

Contact Points:

Call Adama on (02)9431 7800 and ask for the technical manager.

Fax: (02)9431 7700

Police and Fire Brigade:

Dial 000

Emergency contact:

1800 024 973 (24 hours)

If ineffective:

**Dial Poisons Information Centre
(13 1126 from anywhere in Australia)**

The information contained in this Safety Data Sheet is provided in good faith and is believed to be correct at the date hereof. However, it is expected that individuals receiving the information will exercise their independent judgement in determining its appropriateness for a particular purpose. Adama Australia Pty Ltd makes no representation as to the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability whatsoever, whether with respect to negligence or otherwise, for any loss or damage arising from or connection with the supply or use of the information in this Safety Data Sheet.

Please read all labels carefully before using product.

SAFETY DATA SHEET

Issued by: Adama Australia Pty Ltd

Phone: (02)9431 7800 (office hours)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)



This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (Feb 2016)

Copyright © Kilford & Kilford Pty Ltd, March 2019.

[http://www.kilford.com.au/](http://www.kilford.com.au) Phone (02)8321 8866

SAFETY DATA SHEET